




HAS YOUR DOG LOST
ALL INTEREST IN
ACTIVITY AND EXERCISE?

IT MAY BE
OSTEOARTHRITIS

ASK YOUR VETERINARIAN FOR
MORE INFORMATION



MOBILITY

AND YOUR DOG

YOUR QUESTIONS ANSWERED



INTRODUCTION

Mobility problems may cause pain in dogs... and they are common to dogs of all ages across a wide spectrum of breeds.

A key characteristics of mobility problems is the 'vicious cycle' of pain making the dog reluctant to exercise or play; which leads to weight gain and stiffness: which makes the joints even more painful.

CONTENTS

Is your dog experiencing joint pain and mobility problems?

What might your vet recommend?

Why do vets recommend Mobility C2P+?

Who developed Mobility C2P+ range?

Is Mobility C2P+ suitable for your dog?

How can you track your dog's improvement?



IS YOUR DOG EXPERIENCING JOINT PAIN & MOBILITY PROBLEMS?

There are early warning signs that every dog owner should look out for:

- is your dog 'stiff' first thing in the morning?
- does he have difficulty getting up from his bed?
- does he have trouble walking after exercise?
- is he limping or 'favouring' one particular leg when he walks?
- does he run, jump and play less than he used to?
- does he have difficulty jumping in and out of the car or climbing stairs?
- does he growl or wince if you stroke him?
- is he withdrawn, depressed or listless?
- has he started sleeping in unusual places?
- has he lost his appetite?

If you recognise that your dog is starting to show any of these signs, it's time to ask your vet for advice.

WHAT MIGHT YOUR VET RECOMMEND?

If your vet agrees that your dog is starting to show the signs of mobility problems, there are a number of treatment options that might be recommended, including:

- prescribing pain-killing drugs to provide immediate relief
- prescribing anti-inflammatory drugs to reduce swelling in the joints
- a specially-designed exercise programme, adapted for your dog's specific needs
- a course of physiotherapy to gently mobilise the joints

Your vet may also recommend a specially developed therapeutic nutrition such as **Royal Canin Mobility C2P+**, designed to help your dog regain his active mobility and quality of life.



WHY DO VETS RECOMMEND MOBILITY C2P+?

The answer is, because the Royal Canin Mobility C2P+ diet is the only nutrition to feature the new scientifically proven patented breakthrough 'C2P+™ Joint Complex', our unique combination of three active compounds:

- Curcumin
- Hydrolysed collagen
- Green tea extract

Individually, each of these nutrients is known to promote joint health. Combined together, they have now been discovered to have a proven 'synergistic' action that really makes a difference in the long-term management of mobility.



WHO DEVELOPED MOBILITY C2P+?

The C2P+™ Joint Complex was developed by Royal Canin in partnership with a Veterinary University. The Bone and Cartilage Research Unit and the Laboratory of Human Motion Analysis, all in Liege, in Belgium.



A clinical study showed that 88% of pet owners saw improvement in their dogs' mobility.

[Multicentric study in veterinary clinics in Spain, UK, France, Netherlands, in 42 days N=50 dogs. Royal Canin 2015.]

WHICH DIETS ARE AVAILABLE IN THE MOBILITY C2P+ RANGE?

As well as delivering great palatability, Royal Canin Mobility C2P+ is also available in 2kg, 7kg and 14kg packs of dry food and in a 400g can of 'loaf' wet food, offering a choice of textures to suit every individual dog's preference.



Mobility C2P+
2kg; 7kg; 14kg

Mobility C2P+
in a can 400g

Because mixing wet texture food into dry texture food can increase acceptance, you also have the option to mix the dry and wet variants of Royal Canin Mobility C2P+ together.

IS MOBILITY C2P+ SUITABLE FOR YOUR DOG?

The unique Mobility C2P+ formula has been designed to suit every dog with mobility sensitivity, regardless of breed and size. Mobility C2P+ is particularly appropriate for mature dogs as it contains reduce phosphorus.

Please check with your vet if it is suitable for your dog.

Both products in the Mobility C2P+ range are moderate in calories.



The dry diet has also been designed to sit in our S/O Index™ range, specifically formulated to create an unfavourable environment for the creation of oxalate and struvite uroliths in the urine.



HOW CAN YOU TRACK YOUR DOG'S IMPROVEMENT?

Before you start feeding your dog Royal Canin Mobility C2P+, complete the scorecard below and total up his overall Mobility Score, answering each question with the following range of scores:

- **NO** = score 0
- **SLIGHTLY** = score 1
- **MODERATELY** = score 2
- **SEVERELY** = score 3

Keep this and repeat the scoring process after **4 weeks** and after **8 weeks** of feeding. The lower his Mobility Score, the better. Do not hesitate to show the vet your dog's score at each visit.



BEFORE STARTING TO FEED ROYAL CANIN MOBILITY C2P+

Date	Weight (Kg)
Body Condition Score	Daily food intake (g)
Medication	
Other	
Is your dog 'stiff' first thing in the morning?	Score <input type="checkbox"/>
Does he have difficulty getting up from his bed?	Score <input type="checkbox"/>
Does he have trouble walking after exercise?	Score <input type="checkbox"/>
Is he limping or 'favouring' a particular leg when he walks?	Score <input type="checkbox"/>
Does he run, jump and play less than he used to?	Score <input type="checkbox"/>
Does he have difficulty jumping in and out of the car or climbing stairs?	Score <input type="checkbox"/>
Does he growl or wince if you stroke him?	Score <input type="checkbox"/>
Is he withdrawn, depressed or listless?	Score <input type="checkbox"/>
Has he started sleeping in unusual places?	Score <input type="checkbox"/>
Total Mobility Score <input type="text"/>	

AFTER 4 WEEKS OF FEEDING ROYAL CANIN MOBILITY C2P+

Date	Weight (Kg)
Body Condition Score	Daily food intake (g)
Medication	
Other	
Is your dog 'stiff' first thing in the morning?	Score <input type="checkbox"/>
Does he have difficulty getting up from his bed?	Score <input type="checkbox"/>
Does he have trouble walking after exercise?	Score <input type="checkbox"/>
Is he limping or 'favouring' a particular leg when he walks?	Score <input type="checkbox"/>
Does he run, jump and play less than he used to?	Score <input type="checkbox"/>
Does he have difficulty jumping in and out of the car or climbing stairs?	Score <input type="checkbox"/>
Does he growl or wince if you stroke him?	Score <input type="checkbox"/>
Is he withdrawn, depressed or listless?	Score <input type="checkbox"/>
Has he started sleeping in unusual places?	Score <input type="checkbox"/>
Total Mobility Score <input type="text"/>	

AFTER 8 WEEKS OF FEEDING ROYAL CANIN MOBILITY C2P+

Date	Weight (Kg)
Body Condition Score	Daily food intake (g)
Medication	
Other	
Is your dog 'stiff' first thing in the morning?	Score <input type="checkbox"/>
Does he have difficulty getting up from his bed?	Score <input type="checkbox"/>
Does he have trouble walking after exercise?	Score <input type="checkbox"/>
Is he limping or 'favouring' a particular leg when he walks?	Score <input type="checkbox"/>
Does he run, jump and play less than he used to?	Score <input type="checkbox"/>
Does he have difficulty jumping in and out of the car or climbing stairs?	Score <input type="checkbox"/>
Does he growl or wince if you stroke him?	Score <input type="checkbox"/>
Is he withdrawn, depressed or listless?	Score <input type="checkbox"/>
Has he started sleeping in unusual places?	Score <input type="checkbox"/>
Total Mobility Score <input type="text"/>	