



NO TIME TO WASTE. CHOOSE THE BEST.



SPEED UP RECOVERY with the first range specially designed for tube feeding

*Malnourished hospitalized animals have higher recovery time and lower survival rate.



● **COMPLETE NUTRITION**

5 highly digestible formulas dedicated to the nutritional assistance of cats and dogs

● **PRECISE RANGE**

Optimal energy intake, 5 different formulas to cover different pathologies and needs

● **EASY TO USE**

Liquid formulas specially designed for easy tube feeding, even for the smallest enteral tubes

● **PACKAGING INNOVATION**

A cap specially designed to fill syringes directly from the bottles.

RECOVERY LIQUID



CONVALESCENCE INTENSIVE CARE



CANINE



High protein level to help maintain muscle mass during hospitalization and convalescence.



High energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support nutritional restoration and convalescence of dogs and cats requiring assisted enteral nutrition.



The synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine & lutein) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

CONVALESCENCE INTENSIVE CARE



RECOMMENDED FOR:

- Convalescence
- Re-feeding after anorexia period
- Malnutrition
- Post-surgery and intensive care

NOT RECOMMENDED IN CASE OF:

- Pancreatitis¹
- Hepatic encephalopathy²
- Growth, gestation and lactation

¹use Gastro Intestinal low fat liquid

²use Renal liquid

RENAL LIQUID



CONVALESCENCE INTENSIVE CARE



CANINE



Formulated to support renal function in case of renal insufficiency: high quality proteins and restricted levels of phosphorus. Contains EPA + DHA and antioxidants.



Very high energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support the renal function in case of renal insufficiency, for dogs requiring assisted enteral nutrition.



The synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine & lutein) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

RENAL



RECOMMENDED FOR:

- Acute Kidney Injury (AKI)
- Chronic Kidney Disease (CKD)
- Hepatic encephalopathy

NOT RECOMMENDED IN CASE OF:

- Pancreatitis or history of pancreatitis
- Hyperlipidemia
- Growth, gestation and lactation

GI LOW FAT LIQUID



CONVALESCENCE INTENSIVE CARE



Formulated with low fat levels to help support dogs requiring fat restriction.



High energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support nutritional restoration and convalescence of dogs requiring assisted enteral nutrition.



The synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine & lutein) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

GASTRO INTESTINAL LOW FAT



RECOMMENDED FOR:

- Diarrhoea
- Acute and chronic pancreatitis¹
- Hyperlipidemia
- Lymphangiectasia, exsudative enteropathy
- Delayed gastric emptying
- Exocrine Pancreatic Insufficiency (EPI)
- Gastritis, oesophagitis

¹In case of associated diabetes mellitus, insulin adjustments may be required (due to quickly assimilable carbohydrates content)

NOT RECOMMENDED IN CASE OF:

- Growth, gestation and lactation



GI HIGH ENERGY LIQUID



CONVALESCENCE INTENSIVE CARE



CANINE



High digestible formula (including hydrolyzed proteins) to help support digestive health.



Very high energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support nutritional restoration and convalescence of dogs requiring assisted enteral nutrition.



The enhanced synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine, lutein and beta-carotene) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

GASTRO INTESTINAL HIGH ENERGY



RECOMMENDED FOR:

- Acute and chronic diarrhoea
- Gastritis
- Colitis
- Exocrine Pancreatic Insufficiency (EPI)
- Maldigestion/ Malabsorption
- Dysorexia, re-feeding after surgery

NOT RECOMMENDED IN CASE OF:

- Pancreatitis or history of pancreatitis¹
- Hyperlipidemia¹
- Lymphangiectasia, exsudative enteropathy¹
- Growth, gestation and lactation

¹in these cases the recommended product is Gastro Intestinal low fat (liquid)

RENAL LIQUID



CONVALESCENCE INTENSIVE CARE



FELINE



Formulated to support renal function in case of renal insufficiency: high quality proteins and restricted levels of phosphorus. Contains EPA + DHA and antioxidants.



High energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support the renal function in case of renal insufficiency, for cats requiring assisted enteral nutrition.



The synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine & lutein) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

RENAL



RECOMMENDED FOR:

- Acute Kidney Injury (AKI)
- Chronic Kidney Disease (CKD)
- Hepatic encephalopathy

NOT RECOMMENDED IN CASE OF:

- Pancreatitis or history of pancreatitis
- Hyperlipidemia
- Growth, gestation and lactation

RECOVERY LIQUID



CONVALESCENCE INTENSIVE CARE



High protein level to help maintain muscle mass during hospitalization and convalescence.



High energy density that provides daily energy requirements in a reduced feeding volume.



Complete and balanced liquid diet to support nutritional restoration and convalescence of dogs and cats requiring assisted enteral nutrition.



The synergistic antioxidant complex (including high levels of Vit E, Vit C, taurine & lutein) helps neutralise free radicals.



Liquid formula with adapted viscosity for an easy use whatever the tube size.

CONVALESCENCE INTENSIVE CARE



RECOMMENDED FOR:

- Convalescence
- Re-feeding after anorexia period
- Malnutrition
- Post-surgery and intensive care
- Hepatic lipodosis¹
- Acute and chronic diarrhea

NOT RECOMMENDED IN CASE OF:

- Hepatic encephalopathy¹
- Growth, gestation and lactation

¹in cases of hepatic encephalopathy use Renal liquid